

TEST REPORT

Job No./Report No TR2752868-RV1

Date: 4 March 2026

Page 1 of 8

KOBE FABRICS BV
De vest 62, 5555XP, Valkenswaard
The Netherlands
To the attention of Bini Bajracharya

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	NIGHT FR 300

Client's reference No. : TR 2752868
Buyer : Not Provided
Order No. : Not Provided
Model/Style No. : NIGHT FR/111765
Article No. : Not Applicable
Age Grade : Not Provided
Manufacturer : KOBE FABRICS BV
Country of Origin : Türkiye
Country of Destination : NA (not applicable)
Shipment Date : Not Needed
Fiber Composition : 70% RF 30% FR
Fabric Weight : 426 gr/m²
Sample Description & End Use : NightFR, Dimout
Agency : Not Provided
Sample Receiving Date : 20 January 2026
Test Performing Period : 20 January 2026~02 March 2026
Submitted Care Label Instructions : : 30 Degrees Gentle Wash

Overall Conclusion : **See Results**

Test Results : Please refer to the next page(s).

Performed Test Summary: Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752868-RV1

Date:4 March 2026

Page 2 of 8

Test Parameters	Result
Physical tests	A
EN 13773:2003 Textiles and textile products - Burning behaviour - Curtains and drapes - Classification scheme	*

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.


The test results relate to the tested items only.
Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul
Signed for and on behalf of
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

IN THIS REVISED-1 REPORT, COVER PAGE WAS UPDATED BY THE REQUEST OF THE APPLICANT. THIS REPORT SUPERSEDES OUR REPORT NO: TR2752868 DATED 02.03.2026

YALÇIN GÜNEŞ
Customer Services Supervisor

BANU ÜLGÜR
Customer Services Team Leader




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

Test Conducted

The test was conducted in accordance with EN 1101:1995+A1:2005 Textiles and textile products - Burning behaviour - Curtains and drapes - Detailed procedure to determine the ignitability of vertically oriented specimen (small flame) and classification according to EN 13773:2003.

Test Specimen

Sample description	Fabric
Color	Grey
Area density	441 g/m ²
Sample configuration	Single layer
Size of specimen	200 mm × 80 mm; 560 mm × 170 mm

Conditioning

Cleansing Procedure: One cycles, ISO 6330:2021, reference type A washing machine, wash procedure: No.3N, 30 degree C, line dry.

Conditioning: Prior to testing, the specimens were conditioned at least 24 h in an atmosphere having a temperature of 20±2°C and a relative humidity of 65±5%.

Test Results

1. EN 1101:1995+A1:2005 (Test method: EN ISO 6940:1995, Edge ignition)

Specimen No.	Lengthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	0	0	0	0
Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No
Specimen No.	Widthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	0	0	0	0

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752868-RV1

Date:4 March 2026

Page 4 of 8

Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No
--	----	----	----	----	----	----	----	----

Comment : [] Ignition, [] Non-ignition

2. EN 13772:2011 (flame applied time, 10 s; Edge ignition)

Lengthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	70	70
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	71	71
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Comment: The 1st marker threads not severed and no flaming debris.

Widthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	74	72

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752868-RV1

Date:4 March 2026

Page 5 of 8

Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	No	No

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	71	72
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Comment: The 1st marker thread is not severed and no flaming debris.

Additional Information for Reference
1) Class definitions

Class	Ignitability	Flame spread
1	Non ignition according to EN 1101	1 st marker threads not severed, no flaming debris, according to EN 13772
2	Non ignition according to EN 1101	3 rd marker threads not severed, no flaming debris, according to EN 13772
3	Non ignition according to EN 1101	3 rd marker threads severed, and/or flaming debris, according to EN 13772
4	Ignition according to EN 1101	3 rd marker threads not severed, no flaming debris, according to EN 1102
5	Ignition according to EN 1101	3 rd marker threads severed, and/or flaming debris, according to EN 1102

2) Criteria for Class Allocation

Class allocation according to class number is given hereafter:

- If at least two specimens (out of six) give a result (severing the marker thread and/or flaming debris) belonging to a higher number class the material shall be given in this higher class.
- If only one specimen (out of six) gives a result (severing the marker thread or flaming debris) belonging to a higher number class, 3 new extra specimens shall be tested in the same direction as the one giving the worst result.
- If none of these new specimens gives a result belonging to the higher number class the material shall be classified in the lower number class.
- If at least one of the extra specimens tested gives a result belonging to the higher number class the material shall be given this class.

Statement: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

Remark: The product was tested according to EN 1101 and EN 13772.
Based on the obtained results, the material meets the requirements of EN 13773 Class 1.


Remark: This test performed at SGS Anji.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752868-RV1

Date:4 March 2026

Page 8 of 8



* * *

End of Test Report

* * *

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."