

TEST REPORT

Job No./Report No TR2752870-RV2

Date: 4 March 2026 Page 1 of 9

KOBE FABRICS BV
De vest 62, 5555XP, Valkenswaard
The Netherlands
To the attention of Bini Bairacharya

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	NIGHT FR 300

Client's reference No. : TR 2752870
Buyer : Not Provided
Order No. : Not Provided
Model/Style No. : NIGHT FR / 111765
Article No. : Not Provided
Age Grade : Not Provided
Manufacturer : KOBE FABRICS BV
Country of Origin : Türkiye
Country of Destination : NA (not applicable)
Shipment Date : Not Needed
Fiber Composition : 70% RF, 30%FR
Fabric Weight : 436gr/m2
Sample Description & End Use : Not Provided
Agency : Not Provided
Sample Receiving Date : 20 January 2026
Test Performing Period : 20 January 2026~02 March 2026
Submitted Care Label Instructions : : 30 Degrees Gentle Wash

Overall Conclusion : **PASS**

Test Results : Please refer to the next page(s).

Performed Test Summary: Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.
SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752870-RV2

Date:4 March 2026 Page 2 of 9

Test Parameters	Result
Physical tests	A
IMO International code for application of fire test procedures, 2010 (2010 FTP CODE), Annex 1 Fire test procedure, Part 7 Test for Vertically Supported Textiles and Films.	M

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.


The test results relate to the tested items only.
Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul
Signed for and on behalf of
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

IN THIS REVISED-2 REPORT, COVER PAGE WAS UPDATED BY THE REQUEST OF THE APPLICANT. THIS REPORT SUPERSEDES OUR REPORT NO: TR2752870-RV1 DATED 03.03.2026

YALÇIN GÜNEŞ
Customer Services Supervisor

BANU ÜLGÜR
Customer Services Team Leader




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.
SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752870-RV2

Date:4 March 2026

Page 3 of 9

Introduction

The test was conducted in accordance with 2010 FTP code Annex 1 Part 7 at the request of the client. If the sample meets performance criteria of clause 3 of 2010 FTP Code, Annex 1, Part 7, it is considered suitable for use as curtains, draperies, or free-hanging fabric product for use in rooms containing furniture and furnishings of restricted fire risk in chapter II-2 of the SOLAS Convention.

Test Specimen

Material	Fabric
Color	Grey
Mass per unit area (g/m ²)	442 g/m ²
Size of specimen	220 mm × 170 mm
Whether the fabric has differing surfaces	[<input type="checkbox"/>] Identical; [<input checked="" type="checkbox"/>] Different

Conditioning

Cleansing procedure:

The specimens were cleansed according to IMO PART 7 Accelerated water leaching for 72 hours.

The specimens were conditioned at 20±5°C and a relative humidity of 65±5% for not less than 24 h before test.

TEST REPORT

Test Result

Job No./Report No TR2752870-RV2

Date:4 March 2026 Page 4 of 9

Face

Before cleaning

Specimen No.	Direction of the warp (Edge ignition, 15 s)					Direction of the weft (Edge ignition, 15 s)					Allowable value	Single-item conclusion
	1	2	3	4	5	1	2	3	4	5		
After-flame time (s)	0	0	0	0	0	0	0	0	0	0	≤5	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Afterglow time (s)	0	0	0	0	0	0	0	0	0	0	/	/
Occurrence of drops (Yes or No)	No	Yes	No	No	Yes	Yes	No	No	No	No	/	/
Drops ignite cotton wool (Yes or No)	No	No	No	No	No	No	No	No	No	No	NO	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Burn through to the edge (Yes or No)	No	No	No	No	No	No	No	No	No	No	NO	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Occurrence of surface flash and its propagation length (Yes or No /mm)	No	No	No	No	No	No	No	No	No	No	No or Yes / ≤ 100	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Length of char (mm)	60	64	66	62	65	62	67	64	65	62	/	/
Average of char(mm)	63					64					≤150	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

Doc. No.: CTSL-F-5.10-98NF/ First Publish Date: 28.08.2014 / Revision Date / No.: 7.03.2024/ 10

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752870-RV2

Date:4 March 2026 Page 5 of 9

After cleaning

Specimen No.	Direction of the warp (Edge ignition, 15 s)					Direction of the weft (Edge ignition, 15 s)					Allowable value	Single-item conclusion
	1	2	3	4	5	1	2	3	4	5		
After-flame time (s)	0	0	0	0	0	0	0	0	0	0	≤5	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Afterglow time (s)	0	0	0	0	0	0	0	0	0	0	/	/
Occurrence of drops (Yes or No)	No	No	Yes	No	No	No	Yes	No	No	No	/	/
Drops ignite cotton wool (Yes or No)	No	No	No	No	No	No	No	No	No	No	NO	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Burn through to the edge (Yes or No)	No	No	No	No	No	No	No	No	No	No	NO	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Occurrence of surface flash and its propagation length (Yes or No /mm)	No	No	No	No	No	No	No	No	No	No	No or Yes / ≤ 100	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Length of char (mm)	67	64	69	67	68	67	69	64	65	67	/	/
Average of char(mm)	67					66					≤150	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

Conclusion: The sample **meets** the performance criteria of clause 3 of 2010 FTP Code, Annex 1, Part 7.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table. SGS applied shared risk decision rule. SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

Deviation:

Any deviations from the test method: No

Performance criteria for curtains and drapes:

3.1 Products which show any of the following characteristics obtained by the fire test in appendix 1, shall be considered unsuitable for use as curtains, draperies, or free-hanging fabric product for use in rooms containing furniture and furnishings of restricted fire risk as defined in the relevant regulations of chapter II-2 of the Convention:

3.1.1 an after-flame time greater than 5 s for any of the 10 or more specimens tested with a surface application of the pilot flame (see also paragraph 3.2 below);

3.1.2 burn through, as determined by appendix 2, to any edge of any of the 10 or more specimens tested with a surface application of the pilot flame (see also paragraph 3.2 below);

3.1.3 ignition of cotton wool below the specimen in any of the 10 or more specimens tested (see also paragraph 3.2 below);

3.1.4 an average char length, as determined by appendix 2, in excess of 150 mm observed in any of the batches of five specimens tested by either surface or edge ignition; and

3.1.5 the occurrence of a surface flash propagating more than 100 mm from the point of ignition with or without charring of the base fabric (see also paragraph 3.2 below).

3.2 If, following analysis of the experimental data from tests of a fabric, it is found that either or both of the batches of five specimens cut in both warp and weft directions fail to meet one or more of the criteria specified in subparagraphs 3.1.1 to 3.1.3 and 3.1.5 above because of poor performance of only one of the five specimens tested, one complete retest of a similar batch is permitted. Failure of the second batch to meet any of the criteria shall provide the basis for rejection of the fabric for use.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

Statement:

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

Test results apply to the sample as received.

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

Remark: This test performed at SGS Anji.

TEST REPORT

Job No./Report No TR2752870-RV2

Date:4 March 2026

Page 8 of 9



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

TEST REPORT

Job No./Report No TR2752870-RV2

Date:4 March 2026

Page 9 of 9



* * *

End of Test Report

* * *

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."