

TEST REPORT

No.: AJFTS26006058R02-1_EN

Date: Aug 04,2026

Page 1 of 7

Kobe Fabrics B.V.

La Défense 11 5026 SC TILBURG Netherlands

THE TEST REPORT IS TO SUPERSEDE THE TEST REPORT No.: AJFTS26006058R02_EN, DATE: Aug 03,2026.

Sample Description : Woven fabric, 100% polyester, 3PASS BS5867FR-Hawor fabric
Color : Grey
***Style/Item No.** : NOIR FR
Client Reference Information : NOIR FR 300cm
End Use Application : Curtain

The above sample(s) data and information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

Sample Receiving Date : Jul 27,2026
Testing Period : Jul 27,2026 to Aug 03,2026
Test Required : EN 13773:2003 Textiles and textile products - Burning behaviour - Curtains and drapes - Classification scheme.
Test result(s) : See attached sheet
Conclusion : The test sample **meets** the requirements of Class 1 specified in EN 13773:2003.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd Anji Branch



Echo Li
Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

Test Conducted

The test was conducted in accordance with EN 1101:1995+A1:2005 Textiles and textile products - Burning behaviour - Curtains and drapes - Detailed procedure to determine the ignitability of vertically oriented specimen (small flame) and EN 13772:2011 textiles and textile products-burning behaviour – curtains and drapes – measurement of flame spread of vertically oriented specimens with large ignition source, classification according to EN 13773:2003.

Test Specimen

Sample description	Fabric
Color	Beige
Area density	514 g/m ²
Sample configuration	Single layer
Size of specimen	200 mm × 80 mm; 560 mm × 170 mm

Conditioning

Cleansing Procedure: 12 cycles, ISO 6330:2021, reference type A washing machine, wash procedure: No.6N, 60 degree C, line dry.

Conditioning: Prior to testing, the specimens were conditioned at least 24 h in an atmosphere having a temperature of 20±2°C and a relative humidity of 65±5%.

Test Results
As Received
1. EN 1101:1995+A1:2005 (Test method: EN ISO 6940:1995, Edge ignition)

Specimen No.	Lengthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	2.7	0	0	0
Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No
Specimen No.	Widthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	0	3.2	0	0
Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com



2. EN 13772:2011 (flame applied time, 10 s; Edge ignition)

Lengthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	82	78
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	79	81
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Widthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	80	77
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	79	82
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	No	No

Evaluation:

Item	Ignitability	Flame spread	Class
EN 1101	<u>No Ignition</u>		<u>Class 1</u>
EN 13772		<u>1st marker threads not severed, no flaming debris</u>	

After Cleaning

1. EN 1101:1995+A1:2005 (Test method: EN ISO 6940:1995, Edge ignition)

Specimen No.	Lengthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	0	0	0	0
Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No
Specimen No.	Widthwise							
	1	2	3	4	5	6	7	8
Ignition time (s)	1	2	3	4	5	10	15	20
After flame time (s)	0	0	0	0	0	2.7	0	0
Reaches the top or vertical edges (Yes/No)	No	No	No	No	No	No	No	No



SGS-CTC (Shanghai) Technical Services Co., Ltd.
Anji Branch Fire Technology Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

2. EN 13772:2011 (flame applied time, 10 s; Edge ignition)

Lengthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	86	83
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	89	85
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Widthwise: Preliminary test to indicate the worst result (if applicable)

Items	Face (one side of specimen)	Back (other side of specimen)
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	90	87
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT

No.: AJFTS26006058R02-1_EN

Date: Aug 04,2026

Page 6 of 7

Base on the Preliminary test with indicating the worst result and test the other two specimens in the same way which gave the worst results.

The following test for other two specimens

Items	2	3
First thread is severed (Yes (specified time, s) /No)	No	No
Third thread is severed (Yes (specified time, s) /No)	No	No
Damaged length (mm)	87	89
Flaming debris (Yes/No)	No	No
Non-Flaming debris (Yes/No)	Yes	Yes

Evaluation:

Item	Ignitability	Flame spread	Class
EN 1101	<u>No Ignition</u>		<u>Class 1</u>
EN 13772		<u>1st marker threads not severed, no flaming debris</u>	

Additional Information for Reference

1) Class definitions

Class	Ignitability	Flame spread
1	Non ignition according to EN 1101	1 st marker threads not severed, no flaming debris, according to EN 13772
2	Non ignition according to EN 1101	3 rd marker threads not severed, no flaming debris, according to EN 13772
3	Non ignition according to EN 1101	3 rd marker threads severed, and/or flaming debris, according to EN 13772
4	Ignition according to EN 1101	3 rd marker threads not severed, no flaming debris, according to EN 1102
5	Ignition according to EN 1101	3 rd marker threads severed, and/or flaming debris, according to EN 1102

2) Criteria for Class Allocation

Class allocation according to class number is given hereafter:



SGS-CTC (Shanghai) Technical Services Co., Ltd.
Anji Branch Fire Technology Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

- a) If at least two specimens (out of six) give a result (severing the marker thread and/or flaming debris) belonging to a higher number class the material shall be given in this higher class.
- b) If only one specimen (out of six) gives a result (severing the marker thread or flaming debris) belonging to a higher number class, 3 new extra specimens shall be tested in the same direction as the one giving the worst result.
- c) If none of these new specimens gives a result belonging to the higher number class the material shall be classified in the lower number class.
- d) If at least one of the extra specimens tested gives a result belonging to the higher number class the material shall be given this class.

Statement: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

Remark: The content remark with *are updated.

Photo Appendix:



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com